#	Description	Last Done	Comments & Recommendation	Completed By:
I	Annual Physical Examination (The following to be included with a complete physical exam)			
	Assessment of Nutritional Status			
	Vision assessment (including fundscopy & snellen)			
	Blood Pressure Monitoring			
	TB test annually or at physician's discretion			
	other:			
II	Family History (such as: diabetes, hypertension, breast cancer, ovarian cancer, prostate cancer, heart disease, etc.)			
Ш	Annual Laboratory Tests			
	Blood Profile (if on 3 or more medications)			
	CBC (blood count)			
	Lipid Profile			
	Routine Urinalysis			
	PSA on males after age 50 (to detect prostate cancer)			
	Stool occult blood after age 50			
	other:			
IV	EKG or ECG (cardiac/heart)			
	Baseline EKG at age 40			
	Follow-up EKGs as determined by clinical circumstance			
	other:			
CLIE	NT NAME:		UCI# DC	)B:

#	Description	Last Done	Comments & Recommendation	Completed By:
V	Audiological Testing/Screening			
	Tri-annually or as needed			
VI	Monthly weights (if unplanned changes in weight increases or decreases by 5 lbs. consult primary physician)			
	Follow Ideal Body Mass Index (IBW) Chart			
	Maintain permanent record to document monthly weights			
VII	Medication Follow-up			
	a. Anti-convulsant/Seizure Medications			
	see neurologist at least once a year			
	<ul> <li>get blood levels to test CBC and liver function as prescribed by physician (ask physician how often these need to be done.)</li> </ul>			
	b. Psychotropic Medications			
	see a psychiatrist at least once a year			
	<ul> <li>get blood levels as prescribed by physician</li> </ul>			
	<ul> <li>review psychotropic medications by planning team annually to determine the continued need for these medication(s)</li> </ul>			
VIII	Sigmoidoscopy and/or colonoscopy			
	Baseline at 50 and as recommended by physician			
CLIE	NT NAME:		UCI# DO	)B:

#	Description	Last Done	Comments & Recommendation	Completed By:
		I		1
IX	Bone Density			
	Consider a bone density test for females at age 50 as a baseline			
Х	Immunizations			
	Flu vaccine (annually)			
	Hepatitis B series			
	<ul> <li>Pneumocococcus vaccine (for those susceptible to respiratory bronchial infections and those &gt; 65 years)</li> </ul>			
	<ul> <li>Td/Tdap - Tetanus (every 10 years or every 5 years if sustained a puncture/wound adult &lt; 65 y/o who never received Tdap)</li> </ul>			
ΧI	Dental Examination			
	Cleaning and examination every 6 months			
	If procedure warrants general anesthesia then annual examinations and cleaning recommended			
	Dental Hygiene counseling			
CLIE	NT NAME:		UCI# DO	B:

#	Description	Last Done	Comments & Recommendation	Completed By:
XII	Preventive health counseling and enrollment in appropriate programs as indicated in the IPP for the following issues:			
	<ul> <li>Smoking</li> <li>Underweight</li> <li>Overweight</li> <li>Alcohol abuse</li> <li>Drug abuse</li> <li>Domestic Violence</li> <li>Sexuality Training</li> </ul>			
XIII	<b>Special Conditions:</b> (other medical diagnosis such as diabetes, congestive heart failure (CHF), etc) If client has been diagnosed with a special condition, please ask primary physician if client is to be seen by a specialist and what kind of follow-up is needed.			
	<ul> <li>Type of Condition:</li></ul>			
	<ul> <li>Type of Specialist (If applicable)</li> <li>Type of Condition:</li> <li>Type of Specialist (If applicable)</li> <li>Type of Condition:</li> </ul>			
	Type of Specialist (If applicable)			
CLIE	NT NAME:		UCI# DO	)B:

	Description	Last Done	Comments & Recommendation	Completed By:
		T		
II	Women's Issues			
	<ul> <li>a. Breast Examination</li> <li>Monthly self examination - if applicable or able</li> </ul>			
	<ul> <li>An annual examination by either a physician or nurse practitioner should be included in the annual physical examination</li> </ul>			
	<ul> <li>b. Mammogram</li> <li>Baseline mammogram recommended between ages 40-50</li> </ul>			
	<ul> <li>Routine mammography annually or every 2 years (per American College of Obstetrics and Gynecology (ACOG) recommendations) between ages 50-70</li> </ul>			
	<ul> <li>If the procedure requires sedation, the primary physician may decide on the necessity of the procedure after considering benefits versus risks.</li> </ul>			
-	<ul> <li>c. Pap Smears (age 18 or sexually active)</li> <li>Sexually active females or those on birth control of any form: annual pap smear recommended</li> </ul>			
	Non-sexually active females: annual until age 30 y/o.			
IEN	IT NAME:		UCI# DO	В:

#	Description	Last Done	Comments & Recommendation	Completed By:
	If a healthy woman has had 3 completely normal pap smears in a row, then every 2-3 years			
	<ul> <li>If 65-70 y/o, had 3 completed normal pap smears in a row or not sexually active, or has risk factors, may stop</li> </ul>			
	If procedure requires sedation the primary physician may decide on the necessity of procedure documenting benefits versus risks. It may also be combined with dental work under general anesthesia.			

CLIENT NAME:	UCI#	DOB: